

```
1 <!-- The complete HTML markup will be kept as is after shrinking to ensure proper functionality -->
2 <head>
3     <title>CEITON - Web Shrinker</title>
4     <META NAME="keywords" content="">
5     <META NAME="description" content="">
6     <link rel="stylesheet" href="../../incs/css/ceiton.css" />
7 </head>
8
9 <!-- Server side ASP includes are still workable after obfuscation -->
10 <!-- #include file="defaults.inc" -->
11 <!-- #include file="globals.inc" -->
12
13 <!-- External Javascript code will be obfuscated in it's external file as well -->
14 <script language="JavaScript" src="holdem.js"></script>
15
16 <!-- Embedded JS source code will be shrinked completely as is -->
17 <script language="JavaScript">
18     // Encapsulates a class for a demo source file
19     function TDemo() {
20         this.MAXPAINTS = 20;
21         // ASP variables will be recognized, but not obfuscated to ensure functionality after obfuscation
22         this.TO_MAX_PAINTS_ERRMSG = "<%=MyServerText%>";
23         this.paintCounter = 0;
24         this.painted = false;
25         this.storage = null;
26         this.emptyStorage = Utils.getEmptyStorage();
27     }
28
29     <%
30         ' ASP methods within JS blocks are detected as such and copied to the shrinked JS block
31         call printServerJSMETHOD(1, "foo");
32     %>
33
34     // Initializes the current Demo class
35     TDemo.prototype.init = function init(aSize) {
36         var curTreeModel = Models.getCurrent();
37         var loopCounter;
38         this.storage = new Array(aSize);
39         for (loopCounter = 0; loopCounter < this.storage.length; loopCounter++) {
40             this.storage[loopCounter] = new TreeView(curTreeModel);
41         }
42     }
43 }
```

```

44 // Checks whether the structure has been painted to many times with the current configurations or
45 // not
46 TDemo.prototype.validate = function validate() {
47     // Check whether the paintCounter is to high
48     if (this.paintCounter > this.MAXPAINTS) {
49         ErrorStorage.push(this.TO_MAX_PAINTS_ERRMSG);
50         return false;
51     }
52     return true;
53 }
54
55 // Repaints alls stored trees in the current TDemo structure
56 TDemo.prototype.repaint = function repaint() {
57     var loopCounter, curNode;
58     for (loopCounter = 0; loopCounter < this.storage.length; loopCounter++) {
59         var curNode = this.storage[loopCounter];
60         while (curNode.hasChildren()) {
61             if (curNode.checkForSiblings()) {
62                 // First: Push all current siblings to a flat structure
63                 curNode.flatSiblingStructure();
64                 // Second: Recreate the current tree model
65                 curNode.recreate();
66                 // Last: Check for recreation problems and solve them if necessary
67                 if (curNode.problemsOccurred()) {
68                     curNode.tryProblemSolve();
69                 }
70             }
71             curNode = curNode.nextNode();
72         }
73     }
74     this.painted = true;
75     this.paintCounter++;
76 }
77
78 TDemo.prototype.getStructure = function getStructure() {
79     if (null == this.storage) {
80         return this.emptyStorage;
81     }
82     return this.storage;
83 }
84 </script>
85
86 <Body onLoad="init();" onbeforeunload="return CatchUnload();" onUnload="CloseWins()"
```

```
87     onkeypress="return CaptureKeyPress(event);" onMouseDown="return CaptureMouseDown();"
88     onResize="resizeEvent();">
89
90 <!-- The obfuscator is able to detect proper ASP code and copies it to the shrinked ASP file -->
91 <%
92     Const coReadOnly = " readonly"           'String for readonly elements
93     Const coDisabled = " disabled"         'String for disabled elements
94
95     Dim debug, edit, specialEdit_value, specialEdit_number
96     Dim isUAMaske, reportParameter, reportRedirectURL, real_mask_id, backLink
97
98     'Get parameters
99     debug      = (Request.QueryString("debug") = "1")
100    edit       = Request.QueryString("edit")
101    inquirer   = Request.QueryString("inquirer")
102    view_id    = Request.QueryString("view_id")
103
104    if not hasValue(debug) then
105        specialEdit_value = 0
106    else
107        specialEdit_number = IIF(specialEdit_value = "", 0, specialEdit_value)
108    end if
109    specialEdit      = ((specialEdit_number AND 1) = 1)
110    templateMode     = ((specialEdit_number AND 4) = 4)
111    'templateMode=true
112    isUAMaske       = ((specialEdit_number AND 8) = 8)
113 %>
114 <div class="hide">
115     <a href="default1">more</a>
116     <a href="default2">less</a>
117 </div>
118 <%
119 select Case inquirer
120
121     Case "table":
122         backLink = ".../user/task/ended.asp?view_id=" & view_id
123
124     case "drucken" :
125         reportParameter = Request.QueryString("reportParameter")
126         reportRedirectURL = Request.QueryString("reportRedirectURL")
127         real_mask_id = mask_id
128
129     case ""
```

```
130         'no inquirer has been specified
131         inquirer = "mask"
132
133     end select
134
135     Set Komponente = getKomponente(koEngine, rechteBereich)
136 %>
137
138 </body>
```